

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION  
BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2005**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>3,041</u>	<u>672</u>	<u>2,356</u>	<u>13</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,443	334	1,100	9	47.4	49.7	46.7
9, 10	587	124	461	2	19.3	18.4	19.6
11, 12	274	42	232	0	9.0	6.2	9.8
13-15	182	40	140	2	6.0	6.0	5.9
16-20	21	6	15	0	0.7	0.9	0.6
21 OR MORE	2	0	2	0	0.1	-	0.1
UNKNOWN	532	126	406	0	17.5	18.8	17.2
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	2,856	633	2,212	11	93.9	94.2	93.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURRETAGE	185	39	144	2	6.1	5.8	6.1
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO  
TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY  
PATIENTS TREATED IN MISSISSIPPI, 2005**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>6</u>	<u>3</u>	<u>3</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	1	0	1	0
20-29	4	2	2	0
30-39	1	1	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	2	2	0	0
NOT MARRIED	4	1	3	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	1	1	0	0
HEMORRHAGE	1	0	1	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	4	2	2	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS  
ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT  
OCCURRED OUTSIDE OF THE STATE.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION  
BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2005**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>3,041</b>	<b>672</b>	<b>2,356</b>	<b>13</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,443	334	1,100	9	47.4	49.7	46.7
9, 10	587	124	461	2	19.3	18.4	19.6
11, 12	274	42	232	0	9.0	6.2	9.8
13-15	182	40	140	2	6.0	6.0	5.9
16-20	21	6	15	0	0.7	0.9	0.6
21 OR MORE	2	0	2	0	0.1	-	0.1
UNKNOWN	532	126	406	0	17.5	18.8	17.2
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	2,856	633	2,212	11	93.9	94.2	93.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURRETAGE	185	39	144	2	6.1	5.8	6.1
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO  
TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY  
PATIENTS TREATED IN MISSISSIPPI, 2005**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON- WHITE	UNK. RACE
<b>TOTAL</b>	<b>6</b>	<b>3</b>	<b>3</b>	<b>0</b>
<u>AGE</u>				
UNDER 20	1	0	1	0
20-29	4	2	2	0
30-39	1	1	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	2	2	0	0
NOT MARRIED	4	1	3	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	1	1	0	0
HEMORRHAGE	1	0	1	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	4	2	2	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS  
ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT  
OCCURRED OUTSIDE OF THE STATE.



**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION  
BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2006**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,949</u>	<u>665</u>	<u>2,278</u>	<u>6</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,542	360	1,179	3	52.3	54.1	51.8
9, 10	585	109	475	1	19.8	16.4	20.8
11, 12	236	50	184	2	8.0	7.5	8.1
13-15	67	16	51	0	2.3	2.4	2.2
16-20	15	3	12	0	0.5	0.4	0.5
21 OR MORE	1	0	1	0	**	-	**
UNKNOWN	503	127	376	0	17.0	19.1	16.5
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,948	665	2,277	6	100.0	100.0	100.0
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	1	0	1	0	**	-	**
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY  
PATIENTS TREATED IN MISSISSIPPI, 2006**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	2	0	2	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	0	0	0	0
NOT MARRIED	2	0	2	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	1	0	1	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	1	0	1	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2007**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,932</u>	<u>632</u>	<u>2,289</u>	<u>11</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,610	354	1,249	7	54.9	56.0	54.6
9, 10	573	116	454	3	19.5	18.4	19.8
11, 12	229	37	191	1	7.8	5.8	8.3
13-15	78	27	51	0	2.7	4.3	2.2
16-20	12	6	6	0	0.4	0.9	0.3
21 OR MORE	0	0	0	0	-	-	-
UNKNOWN	430	92	338	0	14.7	14.6	14.8
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,900	625	2,264	11	98.9	98.9	98.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	3	0	3	0	0.1	-	0.1
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	29	7	22	0	1.0	1.1	1.0

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, 2007**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	1	1	0	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	1	1	0	0
NOT MARRIED	0	0	0	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	0	0	0	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	1	1	0	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.



**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION  
BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2008**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,772</u>	<u>654</u>	<u>2,116</u>	<u>2</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,497	355	1,141	1	54.0	54.3	53.9
9, 10	511	126	384	1	18.4	19.3	18.1
11, 12	286	52	234	0	10.3	8.0	11.0
13-15	105	24	81	0	3.8	3.7	3.8
16-20	14	2	12	0	0.5	0.3	0.6
21 OR MORE	2	1	1	0	0.1	0.2	**
UNKNOWN	357	94	263	0	12.9	14.4	12.4
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,771	654	2,115	2	100.0	100.0	100.0
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION							
SHARP CURETTAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR HYSTERECTOMY	1	0	1	0	**	-	**
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY  
PATIENTS TREATED IN MISSISSIPPI, 2008**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>5</u>	<u>1</u>	<u>3</u>	<u>1</u>
<u>AGE</u>				
UNDER 20	1	0	0	1
20-29	3	1	2	0
30-39	0	0	0	0
40-49	1	0	1	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	2	1	1	0
NOT MARRIED	3	0	2	1
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	2	0	2	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	3	1	1	1
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION  
BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2009**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,438</u>	<u>529</u>	<u>1,906</u>	<u>3</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,206	265	940	1	49.5	50.1	49.3
9, 10	556	121	435	0	22.8	22.9	22.8
11, 12	250	44	206	0	10.2	8.3	10.8
13-15	84	14	70	0	3.4	2.6	3.7
16-20	10	2	8	0	0.4	0.4	0.4
21 OR MORE	0	0	0	0	-	-	-
UNKNOWN	332	83	247	2	13.6	15.7	13.0
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,437	529	1,905	3	100.0	100.0	99.9
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR HYSTERECTOMY	1	0	1	0	**	-	**
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO  
TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY  
PATIENTS TREATED IN MISSISSIPPI, 2009**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>TOTAL</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	2	0	2	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	0	0	0	0
NOT MARRIED	2	0	2	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	1	0	1	0
HEMORRHAGE	1	0	1	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	2	0	2	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS  
ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT  
OCCURRED OUTSIDE OF THE STATE.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION  
BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2010**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>2,297</u>	<u>451</u>	<u>1,845</u>	<u>1</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	1,077	211	865	1	46.9	46.8	46.9
9, 10	473	100	373	0	20.6	22.2	20.2
11, 12	246	43	203	0	10.7	9.5	11.0
13-15	90	14	76	0	3.9	3.1	4.1
16-20	14	3	11	0	0.6	0.7	0.6
21 OR MORE	1	0	1	0	**	-	**
UNKNOWN	396	80	316	0	17.2	17.7	17.1
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,297	451	1,845	1	100.0	100.0	100.0
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	0	0	0	0	-	-	-
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY  
PATIENTS TREATED IN MISSISSIPPI, 2010**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
<u>TOTAL</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	1	0	1	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	0	0	0	0
NOT MARRIED	1	0	1	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	1	0	1	0
HEMORRHAGE	0	0	0	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	0	0	0	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.



**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION  
BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2011**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,224</u>	<u>414</u>	<u>1,757</u>	<u>53</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	992	204	764	24	44.6	49.3	43.5
9, 10	347	53	288	6	15.6	12.8	16.4
11, 12	229	36	189	4	10.3	8.7	10.8
13-15	102	17	80	5	4.6	4.1	4.6
16-20	24	5	18	1	1.1	1.2	1.0
21 OR MORE	1	0	1	0	**	-	**
UNKNOWN	529	99	417	13	23.8	23.9	23.7
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	2,220	413	1,754	53	99.8	99.8	99.8
MEDICAL (NONSURGICAL)	0	0	0	0	-	-	-
DILATION AND EVACUATION	0	0	0	0	-	-	-
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	4	1	3	0	0.2	0.2	0.2
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

\* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO  
TERMINATION FROM DATE OF TERMINATION.

\*\* LESS THAN 0.06 PERCENT.

**TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY  
PATIENTS TREATED IN MISSISSIPPI, 2011**

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>TOTAL</u>	<u>3</u>	<u>1</u>	<u>2</u>	<u>0</u>
<u>AGE</u>				
UNDER 20	0	0	0	0
20-29	1	0	1	0
30-39	1	1	0	0
40-49	1	0	1	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
<u>MARITAL STATUS</u>				
MARRIED	0	0	0	0
NOT MARRIED	3	1	2	0
UNKNOWN	0	0	0	0
<u>CONDITION(S) REQUIRING TREATMENT</u>				
PELVIC INFECTION	0	0	0	0
HEMORRHAGE	2	0	2	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	1	1	0	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS  
ARE COUNTED SEPARATELY.  
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT  
OCCURRED OUTSIDE OF THE STATE.